



www.daltek.cz
+420 721 932 393
daltek@daltek.cz

SÍDLO FIRMY – PRAHA
Sokolská č.p.1792/52
120 00 Praha Nové město

DIN 2632/2633 PN 10/16

Trubky		Přiruba					Krk				Těsn. Lišta		Šrouby		Hmotnost	
DN	d1		D	b	k	h1	d3	s	r	h2	d4	f	počet	velikost	d2	kg / ks
	řada 1	řada 2														
10		14	90	14	60	35	25	1,8	4	6	40	2	4	M 12	14	0,58
	17,2						28									
15		20	95	14	65	35	30	2	4	6	45	2	4	M 12	14	0,648
	21,3						32									
20		25	105	16	75	38	38	2,3	4	6	58	2	4	M 12	14	0,952
	26,9						40									
25		30	115	16	85	38	42	2,6	4	6	68	2	4	M 12	14	1,14
	33,7						45									
32		38	140	16	100	40	52	2,6	6	6	78	2	4	M 16	18	1,69
	42,4						56									
40		44,5	150	16	110	42	60	2,6	6	7	88	3	4	M 16	18	1,86
	48,3						64									
50		57	165	18	125	45	72	2,9	6	8	102	3	4	M 16	18	2,53
	60,3						75									
65	76,1		185	18	145	45	90	2,9	6	10	122	3	4	M 16	18	3,06
80	88,9		200	20	160	50	105	3,2	8	10	138	3	8	M 16	18	3,7
100		108	220	20	180	52	125	3,6	8	12	158	3	8	M 16	18	4,62
	114,3						131									
125		133	250	22	210	55	150	4	8	12	188	3	8	M 16	18	6,3
	139,7						156									
150		159	285	22	240	55	175	4,5	10	12	212	3	8	M 20	22	7,75
	168,3						184									
200	219,1		340	24	295	62	235	5,9	10	16	268	3	12	M 20	22	11
250	273		395	26	350	68	292	6,3	12	16	320	3	12	M 20	22	14,7
300	323,9		445	26	400	68	344	7,1	12	16	370	4	12	M 20	22	17,4
350	355,6		505	26	460	68	385	7,1	12	16	430	4	16	M 20	22	23,6
400	406,4		565	26	515	72	440	7,1	12	16	482	4	16	M 24	26	28,6
500	508		670	28	620	75	542	7,1	12	16	585	4	20	M 24	26	38,1
DIN 2633, PN 16 v jakosti 1.4541, 1.4571																
250	273		405	26	355	70	292	6,3	12	16	320	3	12	M 24	26	15,6
300	323,9		460	28	410	78	344	7,1	12	16	378	4	12	M 24	26	22
350	355,6		520	30	470	82	390	8	12	16	438	4	16	M 24	26	31,2
400	406,4		580	32	525	85	445	8	12	16	490	4	16	M 27	30	39,3